



POULTRY CONCENTRATE

Water Soluble Activated Plant Extracts

Natural, safe, effective, no withdrawal, plant extract solution

- Plant extract solution aids in intestinal stability and cellular hydration while supporting the microbiome.
- All natural, Supports Digestive Health, Antioxidant, Easy to Use, Supports microbiome stability, Restores digestive balance, Polyphenol bio solution.

Directions to Producer:

PhytoCare® Poultry Concentrate is formulated for use in starting chicks with a healthy functional digestive microbiome. In addition the product is used in the transition stage from day 14-16 when the birds nutritional intake is being maximized and digestive Stress is high. The product is also very important when intestinal stress is seen during the growing phase of production.

PRODUCT FACTS:

- Formulated for Avian application.
- Add the selected application level in ounces of concentrate to fresh unchlorinated water, making one gallon of infused stock solution.
- Each gallon of infused stock solution is monitored into a 1:128 waterline medicator.

PRECAUTIONS: Not to be used in undiluted form. Do not use more than 20 ounces per gallon of infused stock solution. For animal use only. **Use non-chlorinated water for making infused stock solution.**

STORAGE: Protect from freezing, store in a cool, dry place out of direct sunlight. Temperatures of 40F to 80F. Keep container tightly closed when not in use.

ALL-NATURAL CONTENTS: PHT plant extract formulation of Green Tea (*Camelia sinensis*), Pomegranate (*Punica granatum*), and PHT proprietary formulation of PC-BE3 extract (grape blend, *Vitis vinifera*)

IMPORTANT: Application levels, timing, and duration are based on poultry flow and specific enteric health situation.

Use with Standard Levels

CHICK STARTER

(Day 2-4 after arrival)

Mix 12 ounces per gallon of infused stock solution and administer at 1:128 using a waterline medicator for 3 days.

Systems without drinking water medicators: Add 1 oz to each 10 gallons of drinking water. Treat for 3 days.

TRANSITIONAL STRESS (Days 14-21)

On days 1-2: Mix 16 ounces per gallon of infused stock solution and administer at 1:128 using waterline medicator for 48 hours. On days 3-5: Mix 8 ounces per gallon of infused stock solution. **Self watering systems:** On days 1-2: Mix 1.5 ounces to each 10 gallons of drinking water. On days 3-5: Mix 0.75 ounces to each 10 gallons of drinking water.

RAPID ACUTE INTESTINAL STRESS


When acute intestinal stress is seen during the production cycle:

On days 1-2: Mix 18 oz per gallon of infused stock solution. Days 3-4: Mix 10 oz per gallon of infused stock solution. **Self watering systems:** Days 1-2: mix 2 oz to each 10 gallons of drinking water. Days 3-4: Mix 1.5 oz to 10 gallons of drinking water.

Use weekly for best results

*The above application levels are standard recommended levels.

Product #21031



8 60003 86497 5

NET CONTENTS: 2.25 Gal

Email: costumerservice@precisionhealthtech.com

Customer Service | 605-696-5606

Manufactured by Precision Health Technologies, LLC

Worthington, MN 56187

Lot:

Patent Protected

*No therapeutic claims are made with natural extract solutions.

